

# STOCK LIST

## BEAMS

### ALUMINUM

#### ALUMINUM I-BEAM 6061-T6 25'

DEPTH	WT/FT	FL. W	WebThick.
4"	2.644#	2.660	.190
4"	3.283#	2.796	.326
6"	4.300#	3.330	.230

### CARBON STEEL

#### I-BEAMS A-36 20' 40'

DEPTH	WT/FT	FL. W	FL Thick.	Web Thick.
3"	5.7#	2.330	.260	.170
3"	7.5#	2.509	.260	.349
4"	7.7#	2.663	.293	.193
4"	9.5#	2.796	.293	.326
5"	10.0#	3.004	.326	.214
6"	12.5#	3.332	.359	.232
6"	17.25#	3.565	.359	.465
7"	15.3#	3.662	.392	.252
8"	18.4#	4.001	.426	.271
8"	23.0#	4.171	.426	.441
10"	25.4#	4.661	.491	.311
12"	31.8#	5.000	.544	.350
12"	35.0#	5.078	.544	.428
12"	40.8#	5.252	.659	.462
12"	50.0#	5.477	.659	.687
15"	42.9#	5.501	.622	.411
15"	50.0#	5.640	.622	.550

#### JR BEAM A-36 20'

DEPTH	WT/FT	Fl Width	Fl Thick.	Web Thick.
4"	6.000#	3.800	.175	.175
4"	13.000#	3.940	.371	.254
6"	4.400#	1.844	.171	.114
8"	6.500#	2.281	.189	.135
10"	9.000#	2.690	.206	.157
12"	11.800#	3.055	.225	.177

#### WF BEAMS A-36 20' 40'

Size	WT/FT	Depth	Fl. W	Fl Thick.	Web Thick.
4 X 4	13.0#	4.16	4.060	.345	.280
5 X 5	16.0#	5.01	5.000	.360	.240
5 X 5	19.0#	5.15	5.030	.430	.270
6 X 4	9.0#	5.90	3.940	.215	.170
6 X 4	12.0#	6.03	4.000	.280	.230
6 X 4	16.0#	6.28	4.030	.405	.260
6 X 6	15.0#	5.99	5.990	.260	.230

6 X 6	20.0#	6.20	6.020	.365	.260
6 X 6	25.0#	6.38	6.080	.455	.320
8 X 4	10.0#	7.89	3.940	.205	.170
8 X 4	13.0#	7.99	4.000	.255	.230
8 X 4	15.0#	8.11	4.015	.315	.245
8 X 5				.330	.230
1/4	18.0#	8.14	5.250		
8 X 5				.400	.250
1/4	21.0#	8.28	5.270		
8 X 6				.400	.245
1/2	24.0#	7.93	6.495		
8 X 6				.465	.285
1/2	28.0#	8.06	6.535		
8 X 8	31.0#	8.00	7.995	.435	.285
8 X 8	35.0#	8.12	8.020	.495	.310
8 X 8	40.0#	8.25	8.070	.560	.360
8 X 8	48.0#	8.50	8.110	.685	.400
10 X 4	12.0#	9.87	3.960	.210	.190
10 X 4	15.0#	9.99	4.000	.270	.230
10 X 4	17.0#	10.11	4.010	.330	.240
10 X 4	19.0#	10.24	4.020	.395	.250
10 X 5				.360	.240
3/4	22.0#	10.17	5.750		
10 X 5				.440	.260
3/4	26.0#	10.33	5.770		
10 X 5				.510	.300
3/4	30.0#	10.47	5.810		
10 X 8	33.0#	9.73	7.960	.435	.290
10 X 8	39.0#	9.92	7.985	.530	.315
10 X 8	45.0#	10.10	8.020	.620	.350
10 X				.615	.370
10	54.0#	10.09	10.030		
12 X 4	14.0#	11.91	3.970	.225	.200
12 X 4	16.0#	11.99	3.990	.265	.220
12 X 4	19.0#	12.16	4.005	.350	.235
12 X 4	22.0#	12.31	4.030	.425	.260
12 X 6				.380	.230
1/2	26.0#	12.22	6.490		
12 X 6				.440	.260
1/2	30.0#	12.50	6.520		
12 X 6				.520	.300
1/2	35.0#	11.94	6.560		
12 X 8	40.0#	11.94	8.005	.515	.295
12 X 8	45.0#	12.06	8.045	.575	.335
12 X				.640	.360
10	58.0#	12.19	10.010		
12 X				.605	.390
12	72.0#	12.25	12.000		
14 X 5	22.0#	13.74	5.000	.335	.230
14 X 5	26.0#	13.91	5.025	.420	.255
14 X 6				.385	.270
3/4	30.0#	13.84	6.730		
14 X 6				.455	.285
3/4	34.0#	13.98	6.745		
14 X 8	43.0#	13.66	7.995	.530	.305
14 X 8	48.0#	13.79	8.030	.595	.340



## STOCK LIST

14 X 8	53.0#	13.92	8.060	.660	.370
14 X				.710	.440
14 ½	90.0#	14.02	14.520		
16 X 5				.345	.250
½	26.0#	15.69	5.500		
16 X 5				.440	.275
½	31.0#	15.88	5.525		
16 X 7	36.0#	15.86	6.985	.430	.295
16 X 7	40.0#	16.01	6.995	.505	.305
16 X 7	50.0#	16.26	7.070	.630	.380
16 X				.665	.395
10 ¼	67.0#	16.33	10.235		
18 X 6	35.0#	17.70	6.000	.425	.300
18 X 6	40.0#	17.90	6.015	.525	.314
18 X 7				.570	.355
½	50.0#	17.99	7.495		
18 X 7				.750	.450
½	65.0#	18.35	7.590		
21 X 6				.535	.380
½	50.0#	20.83	6.530		
21 X 8				.615	.400
¼	62.0#	20.99	8.240		
24 X 7	55.0#	23.57	7.000	.505	.395

### **GALVANIZED**

#### GALVANIZED H BEAMS 20'

SIZE	WT/FT	WEB	FL W	FL THICK
6"	21.40#	0.260	6.020	0.365



#### GALVANIZED I-BEAMS 20'

DEPTH	WT/FT	WEB	FL W	FL THICK
3	6.100#	0.170	2.330	2.600
4	8.240#	0.193	2.663	0.293