


# STOCK LIST

## CHANNEL



### ALUMINUM

#### ALUMINUM ARCHITECTURAL CHANNEL 16'

| Depth  | Fl. Width | Web Thick. | WT/FT |
|--------|-----------|------------|-------|
| 1 1/4" | 1 1/4"    | 1/8"       | 0.509 |

#### ALUMINUM CHANNELS 6061-T6 25'

| Depth | Web Thick. | Fl. Width | WT/FT |
|-------|------------|-----------|-------|
| 2"    | 1/8        | 1         | 0.552 |
| 3"    | .170       | 1.410     | 1.417 |
| 4"    | .180       | 1.580     | 1.846 |
| 5"    | .190       | 1.150     | 2.316 |
| 6"    | .200       | 1.920     | 2.826 |
| 8"    | .250       | 2.290     | 4.252 |
| 10"   | .240       | 2.600     | 5.278 |

### CARBON STEEL

#### BAR CHANNELS A-36 20'

| Depth  | Web Thick. | Fl. Width | WT/FT |
|--------|------------|-----------|-------|
| 1"     | 1/8"       | 1/2"      | 0.83  |
| 1 1/4" | 1/8"       | 1/2"      | 1.01  |
| 1 1/2" | 1/8"       | 1/2"      | 1.12  |
| 1 1/2" | 1/8"       | 3/4"      | 1.17  |
| 2"     | 1/8"       | 1/2"      | 1.43  |
| 2"     | 1/8"       | 1"        | 1.78  |
| 2"     | 3/16"      | 1"        | 2.32  |
| 2 1/2" | 3/16"      | 5/8"      | 2.27  |

#### JR CHANNELS A-36 20'-40'

| Depth | Web Thick. | Fl. Width | Fl. Thick. | WT/FT  |
|-------|------------|-----------|------------|--------|
| 8"    | 0.179      | 1.875     | .311       | 8.500  |
| 10"   | 0.170      | 1.500     | .280       | 8.400  |
| 12"   | 0.190      | 1.500     | .309       | 10.600 |

#### MC CHANNELS A-36 20' 40'

| Depth | Web Thick | Fl. Width | Fl. Thick. | WT/FT |
|-------|-----------|-----------|------------|-------|
| 3"    | 0.312     | 1.938     | .351       | 7.10  |
| 4"    | 0.500     | 2.500     | .500       | 13.80 |
| 6"    | 0.340     | 3.500     | .385       | 15.30 |
| 6"    | 0.375     | 3.000     | .475       | 16.30 |
| 6"    | 0.379     | 3.504     | .475       | 18.00 |
| 8"    | 0.353     | 2.978     | .500       | 18.70 |
| 8"    | 0.400     | 3.025     | .500       | 20.00 |
| 8"    | 0.427     | 3.502     | .525       | 22.80 |
| 10"   | 0.425     | 3.950     | .575       | 28.50 |
| 10"   | 0.575     | 4.100     | .575       | 33.60 |
| 10"   | 0.796     | 4.321     | .575       | 41.10 |
| 18"   | 0.450     | 3.950     | .625       | 42.70 |
| 18"   | 0.500     | 4.000     | .625       | 45.80 |

#### STRUCTURAL CHANNELS A-36 20' 40'

| Depth | Web Thick. | Fl. Width | Fl. Thick. | WT/FT  |
|-------|------------|-----------|------------|--------|
| 3"    | 0.125      | 1.355     |            | 3.500  |
| 3"    | 0.170      | 1.410     | .273       | 4.100  |
| 3"    | 0.258      | 1.498     | .273       | 5.000  |
| 3"    | 0.356      | 1.596     | .273       | 6.000  |
| 4"    | 0.125      | 1.560     |            | 4.500  |
| 4"    | 0.184      | 1.584     | .296       | 5.400  |
| 4"    | 0.321      | 1.721     | .296       | 7.250  |
| 5"    | 0.190      | 1.750     | .320       | 6.700  |
| 5"    | 0.325      | 1.885     | .320       | 9.000  |
| 6"    | 0.200      | 1.920     | .343       | 8.200  |
| 6"    | 0.314      | 2.034     | .343       | 10.500 |
| 6"    | 0.437      | 2.157     | .343       | 13.000 |
| 7"    | 0.210      | 2.090     | .366       | 9.800  |
| 7"    | 0.314      | 2.194     | .366       | 12.250 |
| 8"    | 0.220      | 2.260     | .390       | 11.500 |
| 8"    | 0.303      | 2.343     | .390       | 13.750 |
| 8"    | 0.487      | 2.527     | .90        | 18.750 |
| 9"    | 0.233      | 2.433     | .413       | 13.400 |
| 10"   | 0.240      | 2.600     | .436       | 15.300 |
| 10"   | 0.379      | 2.739     | .436       | 20.000 |
| 10"   | 0.526      | 2.886     | .436       | 25.000 |
| 10"   | 0.673      | 3.033     | .436       | 30.000 |
| 12"   | 0.282      | 2.942     | .501       | 20.700 |
| 12"   | 0.387      | 3.047     | .501       | 25.000 |
| 12"   | 0.510      | 3.170     | .501       | 30.000 |
| 15"   | 0.40       | 3.400     | .650       | 33.900 |
| 15"   | 0.520      | 3.520     | .650       | 40.000 |
| 15"   | 0.716      | 3.716     | .650       | 50.000 |

### GALVANIZED

#### GALVANIZED BAR CHANNELS A-36 20'

| Depth | Fl Width | Web Thick. | WT/FT |
|-------|----------|------------|-------|
| 2     | 1        | 3/16       | 2.480 |

#### GALVANIZED CHANNELS A-36 20'

| Size | Fl Width | Web Thick. | Fl. Thick. | WT/FT  |
|------|----------|------------|------------|--------|
| 3"   | 1.410    | 0.170      | .273       | 4.100  |
| 4"   | 1.584    | 0.184      | .296       | 5.400  |
| 5"   | 1.750    | 0.190      | .296       | 6.700  |
| 6"   | 1.920    | 0.200      | .320       | 8.200  |
| 8"   | 2.260    | 0.220      | .390       | 11.500 |

\*For actual weight, add 2% to wt/ft due to galvanizing\*