

STOCK LIST

FITTINGS -

GENERAL STEEL IS A **WELDBEND**
DISTRIBUTOR, AS WELL AS OTHERS

Please see reference section for dimensional specifications.

CARBON STEEL

45E ELBOW -STD BW

DIAM	WT EA
1/2"	0.090
3/4"	0.100
1"	0.220
1 1/4"	0.330
1 1/2"	0.430
2"	0.850
2 1/2"	1.700
3"	2.500
3 1/2"	3.400
4"	4.500
5"	7.500
6"	11.700
8"	23.300
10"	61.400

45E ELBOW -XST BW

DIAM	WT EA
1/2"	0.150
3/4"	0.160
1"	0.280
1 1/4"	0.450
1 1/2"	0.610
2"	1.200
2 1/2"	2.000
3"	3.300
3 1/2"	4.500
4"	6.200
5"	10.500
6"	17.000
8"	34.300
10"	53.500
12"	77.600

90E ELBOW -SHORT RADIUS STD BW

DIAM	WT EA
1"	0.250
1 1/4"	0.390
1 1/2"	0.530
2"	0.970
2 1/2"	2.000
3"	3.000
3 1/2"	4.300
4"	6.100
5"	9.700
6"	16.700
8"	32.400
10"	56.300
12"	79.400
14"	104.000
16"	129.00
18"	163.000
20"	210.000

90E ELBOW -SHORT RADIUS XST BW

DIAM	WT EA
1 1/2"	0.750
2"	1.500
2 1/2"	2.600
3"	3.800
3 1/2"	5.400
4"	7.600
5"	13.800
6"	22.800
8"	47.300
10"	71.000
12"	104.00

90E ELBOW -LONG RADIUS STD BW

DIAM	WT EA
1/2"	0.160
3/4"	0.170
1"	0.400
1 1/4"	0.550
1 1/2"	0.800
2"	1.600
2 1/2"	3.200
3"	4.800
3 1/2"	6.600
4"	8.900
5"	15.100
6"	24.000
8"	47.800
10"	83.400
12"	123.000

STOCK LIST

90E ELBOW -LONG RADIUS XST BW

DIAM	WT EA
½"	0.260
¾"	0.290
1"	0.480
1 ¼"	0.790
1 ½"	1.200
2"	2.100
2 ½"	3.800
3"	6.300
3 ½"	8.600
4"	12.500
5"	21.200
6"	34.400
8"	71.300
10"	111.000
12"	158.000

150# RAISED FACE SO FLANGE

DIAM	WT/EA
¾"	2.00
2"	5.00
2 ½"	7.00
3"	8.00
4"	13.00
5"	15.00
6"	19.00
8"	30.00
10"	42.00
12"	64.00
14"	85.00
16"	94.00
18"	120.00
20"	155.00
24"	210.00

150# RAISED FACE SW FLANGE

DIAM	WT/EA
¾"	2.00
1"	2.00

150# RAISED FACE WN FLANGE

DIAM	WT/EA
2"	9.00
4"	16.00
8"	40.00
10"	56.00
12"	86.00
16"	141.00

300# RAISED FACE SO FLANGE

DIAM	WT/EA
2 ½"	10.0
3"	13.0
4"	22.0
6"	39.0
8"	58.0
10"	82.0
12"	115.0
14"	163.0
16"	220.0
24"	492.0

300# RAISED FACE WN FLANGE

DIAM	WT/EA
3"	16.0
4"	26.0
6"	45.0
8"	70.0
10"	94.0

600# RAISED FACE SO FLANGE

DIAM	WT/EA
6"	83.0
8"	114.0

600# RAISED FACE SW FLANGE

DIAM	WT/EA
1 ½"	3.0

600# RAISED FACE WN FLANGE

DIAM	WT/EA
3"	20.0
6"	77.0
8"	111.0

180E RETURN BEND -LR STD BW

DIAM	WT EA
1 ¼"	1.100
1 ½"	1.600
2"	3.200
2 ½"	6.100
3"	9.400
3 ½"	12.800
4"	17.500
5"	29.300
6"	47.000
8"	87.000
10"	164.000
12"	237.000



STOCK LIST

180E RETURN BEND -LR XST BW

DIAM	WT EA
1/2"	0.450
3/4"	0.520
1"	0.970
1 1/4"	1.600
1 1/2"	2.200
2"	4.100
2 1/2"	7.700
3"	12.400
3 1/2"	17.100
4"	24.100
5"	41.700
6"	68.200
8"	140.000
10"	217.000
12"	311.000

180E RETURN BEND -SR STD BW

DIAM	WT EA
1"	0.500
1 1/4"	0.800
1 1/2"	1.100
2"	1.900
2 1/2"	4.000
3"	6.000
3 1/2"	8.700
4"	12.200
5"	19.200
6"	32.900
8"	64.900
10"	112.000
12"	157.000

180E RETURN BEND -SR XST BW

DIAM	WT EA
1 1/2"	1.500
2"	2.900
2 1/2"	5.200
3"	8.200
3 1/2"	11.700
4"	16.400
5"	27.700
6"	45.700
8"	96.300
10"	143.000
12"	212.000

3000# SOCKET WELD 90E ELBOW

SIZE	WT/EA
1/2"	.5

3000# SOCKET WELD COUPLING

SIZE	WT/EA
1/2"	.23

CAPS-STANDARD WT BW


DIAM	WT/EA
1/2"	.08
3/4"	.14
1"	.21
1 1/4"	.33
1 1/2"	.54
2"	.80
2 1/2"	1.0
3"	1.7
3 1/2"	2.3
4"	2.8
5"	4.6
6"	6.9
8"	11.8
10"	20.8
12"	30.3

CAPS-XST BW

DIAM	WT/EA
1/2"	.10
3/4"	.160
1"	.28
1 1/4"	.48
1 1/2"	.67
2"	.92
2 1/2"	1.30
3"	2.10
3 1/2"	3.00
4"	3.50
5"	5.80
6"	9.30
8"	16.0
10"	26.0
12"	38.0

CONCENTRIC STANDARD REDUCER

SIZE	WT/EA
6" X 3"	6.9
8" X 3"	9.8
8" X 4"	10.8
8" X 6"	12.3
10" X 6"	20.7
10" X 8"	23.5
12" X 10"	32.4
16" X 12"	72.7
16" X 14"	75.4
18" X 16"	87.3
20" X 12"	118.00
24" X 18"	153.0
24" X 20"	156.0



STOCK LIST

STRAIGHT TEES-STD BW

SIZE	WT/EA
1/2"	.35
3/4"	.50
1"	.75
1 1/4"	1.30
1 1/2"	1.90
2"	3.20
2 1/2"	5.80
3"	7.20
3 1/2"	9.50
4"	12.70
5"	20.80
6"	33.10
8"	56.50
10"	90.90
12"	136.0

STRAIGHT TEES-XST BW

SIZE	WT/EA
1/2"	.37
3/4"	.58
1"	.87
1 1/4"	1.6
1 1/2"	2.3
2"	3.9
2 1/2"	6.5
3"	9.0
3 1/2"	12.2
4"	16.2
5"	26.6
6"	41.8
8"	76.2
10"	115.0
12"	169.0