

**ROUND BAR**



**ALLOY-4140**

**CR ROUNDS 4140 TG&P 20'**

DIAM	WT/FT
2 3/16"	12.780

**HR ROUNDS 4140 ANNEALED RL**

DIAM	NL	WT/FT
1/2"	18'	0.688
1 1/4"	20'	4.170
1 1/2"	20'	6.010
1 3/4"	20'	8.180
2"	20'	10.680
2 1/4"	20'	13.520
2 1/2"	20'	16.690
2 3/4"	20'	20.200
3"	20'	24.030
3 1/8"	20'	26.080
3 1/2"	20'	32.710
3 3/4"	20'	37.550
4"	20'	42.730
4 1/2"	20'	54.080
8"	20'	173.000

**HR ROUNDS 4140 HT RL**

DIAM	WT/FT
3/4"	1.500
1"	2.670
1 1/8"	3.380
1 1/4"	4.170
1 1/2"	6.010
1 3/4"	8.180
1 7/8"	9.388
2"	10.680
2 1/4"	13.520
2 1/2"	16.690
2 3/4"	20.190
3"	24.030
3 1/4"	28.210
4"	42.730
4 1/2"	54.080
5"	66.760
6"	96.130

**ALUMINUM**

**ALUMINUM ROUNDS 6061-T6 12'**

DIAM	WT/FT
1/4"	0.058
3/8"	0.130
1/2"	0.231
5/8"	0.361
3/4"	0.520
1"	0.924
1 1/4"	1.443
1 3/8"	1.746
1 1/2"	2.078
1 5/8"	2.439
2"	3.695
2 1/8"	4.171
3"	8.313
3 1/2"	11.315
4"	14.780
5"	23.901
6"	33.251


**CARBON STEEL**

**CHROME PLATED ROUNDS-1045-IHC**

DIAM	L	WT/FT
1"	24'	2.670
1 1/4"	24'	4.170
1 3/8"	24'	5.050
1 1/2"	24'	6.010
1 3/4"	24'	8.180
2"	24'	10.680

**CR ROUNDS 1144SR 12' RL**

DIAM	WT/FT
7/8"	2.040
1"	2.670
1 1/8"	3.380
1 1/4"	4.170
1 7/16"	5.520
1 1/2"	6.010
1 11/16"	7.600
1 3/4"	8.180
1 15/16"	10.020
2"	10.680
2 3/8"	12.780
2 7/16"	15.870



# STOCK LIST

## CR ROUNDS 1144SR DTGP 12' RL

DIAM	WT/FT
1 15/16"	10.020
2 3/16"	12.780
2 7/16"	15.870

## CR ROUNDS 12L14

SIZE	WT/FT
3/8"	0.376
1 1/8"	3.380
1 1/4"	4.170
1 3/8"	5.050
1 1/2"	6.010
1 5/8"	7.050
1 3/4"	8.180
1 11/16"	7.600
1 7/8"	9.390
2"	10.680
2 3/16"	12.780
2 1/4"	13.520
2 3/8"	15.060
2 1/2"	16.690
2 5/8"	18.400
2 3/4"	20.200
2 7/8"	22.070
3"	24.030
3 1/8"	26.080
3 1/4"	28.210
<b>1215</b>	
1"	2.670
1 3/4"	8.180
2"	10.680

## CR ROUNDS 1045 PSQ

DIAM	WT/FT
1 1/8"	3.380

## CR ROUNDS C1045 T&P

DIAM	WT/FT
4 7/16"	52.580

## CR ROUNDS C1045 TG&P

DIAM	L	WT/FT
1"		2.670
1 1/16"		3.020
1 3/16"		3.770
1 1/4"		4.170
1 3/8"		5.050
1 7/16"		5.520
1 1/2"	24'	6.010
1 11/16"		7.600
1 3/4"		8.180
1 15/16"		10.020

2"		10.680
2 3/16"	24.6667'	12.780
2 1/4"	24'	13.520
2 7/16"	24.6667'	15.870
2 11/16"	24'	19.290
2 15/16"	20'	23.040
2 15/16"	24'	23.040
2 15/16"	24.6667	23.040
3"	24'	31.550
3 7/16"	24.1667'	31.550
3 1/2"		32.710
3 15/16"		41.400
4 1/4"		48.230
4 3/4"	12' 2"	60.250
6"	24'	96.130
7"	24'	130.900

## CR ROUNDS C1045

DIAM	WT/FT
1"	2.670
1 1/4"	4.170
1 7/16"	5.520
1 1/2"	6.010
1 11/16"	7.600
1 15/16"	10.020
2"	10.680
2 3/16"	12.780
2 1/2"	15.870
2 7/16"	23.040
2 15/16"	23.040
4 7/16"	52.580
4 15/16"	65.100

## CR ROUNDS C1018 20'

DIAM	WT/FT
3/16"	0.094
1/4"	0.167
5/16"	0.261
3/8"	0.376
7/16"	0.511
1/2"	0.668
9/16"	0.845
5/8"	1.040
11/16"	1.260
3/4"	1.500
13/16"	1.760
7/8"	2.040
15/16"	2.350
1"	2.670
1 1/16"	3.020
1 1/8"	3.380
1 3/16"	3.770
1 1/4"	4.170
1 5/16"	4.600

**STOCK LIST**

1 3/8"	5.050
1 7/16"	5.520
1 1/2"	6.010
1 5/8"	7.050
1 11/16"	7.600
1 3/4"	8.180
1 7/8"	9.390
1 15/16"	10.020
2"	10.680
2 1/8"	12.060
2 3/16"	12.780
2 1/4"	13.520
2 3/8"	15.060
2 7/16"	15.870
2 1/2"	16.690
2 3/4"	20.200
2 15/16"	23.040
3"	24.030
3 1/4"	28.210
3 7/16"	31.550
3 1/2"	32.710
3 3/4"	37.550
3 15/16"	41.400
4"	42.730
4 1/4"	48.230
4 1/2"	54.080
4 3/4"	60.250
4 15/16"	65.100
5"	66.760
5 1/4"	73.600
5 1/2"	80.780
6"	96.130
6 1/2"	112.800

7/16"	0.511
1/2"	0.668
5/8"	1.040
3/4"	1.500
7/8"	2.040
1"	2.670
1 1/8"	3.380
1 1/4"	4.170
1 3/8"	5.050
1 1/2"	6.010
1 5/8"	7.050
1 3/4"	8.180
2"	10.680
2 1/4"	13.520
3"	24.030
3 1/4"	28.210
3 1/2"	32.710
4"	42.730
5"	66.760
5 1/2"	80.780
6"	96.130
13 5/8"	505.120

**HR ROUNDS C1045 20'**

DIAM	WT/FT
3 1/2"	32.710
4"	42.730
4 1/4"	48.230
4 1/2"	54.080
4 3/4"	60.250
5"	66.760
5 1/4"	73.600
6"	93.130
6 1/4"	104.300
6 1/2"	112.800
7"	134.530
7 1/4"	140.400
7 1/2"	151.010
7 3/4"	166.360
8"	173.000
8 1/4"	181.080
8 1/2"	202.060
9"	216.300
10"	273.800
12"	384.500

**FATIGUE PROOF 12'RL**

DIAM	WT/FT
1 1/2"	6.010

**GALVANIZED ROUNDS A-36 20'**

DIAM	WT/FT
3/8"	0.403
1/2"	0.720
3/4"	1.610
1"	2.870

**HALF ROUNDS A-36 20'**

DIAM	WT/FT
1/2"	0.335

**HR ROUNDS A-36 20'**

DIAM	WT/FT
1/4"	0.167
5/16"	0.261
3/8"	0.376

**MM CR ROUNDS TG&P**

DIAM	L	WT/FT
14MM	6'	0.850



# STOCK LIST

## **STAINLESS**

### STAINLESS ROUNDS T-303 12'

DIAM	WT/FT
7/16"	0.511
1 7/16"	5.520

### STAINLESS ROUNDS T-304 12'

DIAM	WT/FT
5/32"	0.065
3/16"	0.094
1/4"	0.167
5/16"	0.261
3/8"	0.376
1/2"	0.668
5/8"	1.043
3/4"	1.502
7/8"	2.040
1"	2.670
1 1/8"	3.380
1 1/4"	4.170
1 3/8"	5.049
1 1/2"	6.008
2"	10.681

### STAINLESS ROUNDS T-316

DIAM	L	WT/FT
5/16"		.261
1/2"	12'8"	.668
2 7/16"	20' R/L	15.870

### STAINLESS ROUNDS T-416, PSQ RL 20'

DIAM	WT/FT
1"	2.670
1 1/8"	3.380
1 3/16"	3.776
1 1/4"	4.172
1 7/16"	5.518
1 1/2"	6.008
1 11/16"	7.600
1 3/4"	8.178
1 15/16"	10.020

## **STRESSPROOF**

### 25MM STRESSPROOF 12' RL

THICK	WT/FT
25MM	2.580

### STRESSPROOF A-311B 12' RL

DIAM	WT/FT
1/4"	0.167
5/16"	0.261
3/8"	0.376
1/2"	0.668
5/8"	1.040
3/4"	1.500
7/8"	2.040
15/16"	2.350
1"	2.670
1 1/8"	3.380
1 3/16"	3.770
1 1/4"	4.170
1 5/16"	4.600
1 3/8"	5.050
1 7/16"	5.520
1 1/2"	6.010
1 5/8"	7.050
1 11/16"	7.600
1 3/4"	8.180
1 13/16"	8.770
1 7/8"	9.390
1 15/16"	10.020
2"	10.680
2 1/8"	12.060
2 3/16"	12.780
2 1/4"	13.520
2 5/16"	14.280
2 3/8"	15.060
2 7/16"	15.870
2 1/2"	16.690
2 5/8"	18.400
2 3/4"	20.200
2 15/16"	23.040
3"	24.030
3 1/4"	28.210
3 7/16"	31.550
3 1/2"	32.710
3 15/16"	41.400
4"	42.730
4 1/4"	48.230
4 1/2"	54.080



## STOCK LIST

### STRESSPROOF G&P 20' RL

DIAM	WT/FT
2 15/16"	23.040
3 7/16"	31.550
3 15/16"	41.400

